# GIARDINI DI GIARDINI ANGELO & C. SNC LEATHER GLOSS FINISH - MXC7500

Revision nr.1 Dated 30/05/2018 Printed on 30/05/2018 Page n. 1 / 9

# Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: LEATHER GLOSS FINISH

Product name MXC7500

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use LEATHER GLOSS FINISH-FINITURA LUCIDA- USO PROFESSIONALE

1.3. Details of the supplier of the safety data sheet

Name GIARDINI DI GIARDINI ANGELO & C. SNC

Full address Via Breda, scn

District and Country 62012 Civitanova Marche (MC)

ITALIA

Tel. +39 0733 897878 Fax +39 0733 897886

e-mail address of the competent person

responsible for the Safety Data Sheet msds@giardinigroup.it

1.4. Emergency telephone number

For urgent inquiries refer to Numeri telefonici dei principali centri antiveleni Italiani (attivi 24/24 ore)

Centro Antiveleni di Milano 02 66101029 (CAV Ospedale Niguarda Ca Granda -

Mllano)

Centro Antiveleni di Pavia 0382 24444 (CAV IRCCS Fondazione Maugeri - Pavia) Centro Antiveleni di Bergamo 800 883300 (CAV Ospedali Riuniti - Bergamo) Centro Antiveleni di Firenze 055 7947819 (CAV Ospedale Careggi - Firenze) Centro Antiveleni di Roma 06 3054343 (CAV Policlinico Gemelli - Roma) Centro Antiveleni di Roma 06 49978000 (CAV Policlinico Umberti I - Roma)

# **SECTION 2. Hazards identification**

# 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

# 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

**P280** Wear eye protection / face protection.

P337+P313 If eye irritation persists: Get medical advice / attention.

# **LEATHER GLOSS FINISH - MXC7500**

Revision nr.1 Dated 30/05/2018 Printed on 30/05/2018 Page n. 2 / 9

# SECTION 2. Hazards identification .../>>

#### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# **SECTION 3. Composition/information on ingredients**

# 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification Classification 1272/2008 (CLP) x = Conc. %

ALCOHOLS, C11-15, SECONDARY,

68131-40-8  $2 \le x < 2,5$ Acute Tox. 4 H302, Acute Tox. 4 H332, Eye Dam. 1 H318, Skin Irrit. 2 H315, CAS

Aquatic Chronic 3 H412

EC INDEX **AMMONIA** 

CAS 1336-21-6  $0,1 \le x < 0,15$ 

Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Acute 1 H400 M=1,

Classification note according to Annex VI to the CLP Regulation: B

EC 215-647-6 INDEX 007-001-01-2

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# SECTION 4. First aid measures

#### 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

# 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

# 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# **SECTION 5. Firefighting measures**

# 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

# 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

# 5.3. Advice for firefighters

# **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

# GIARDINI DI GIARDINI ANGELO & C. SNC LEATHER GLOSS FINISH - MXC7500

Revision nr.1 Dated 30/05/2018 Printed on 30/05/2018 Page n. 3 / 9

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

# **SECTION 6. Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

# 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

# 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

#### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

# 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

# 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

# 7.3. Specific end use(s)

Information not available

# **SECTION 8. Exposure controls/personal protection**

# 8.1. Control parameters

Regulatory References:

TLV-ACGIH ACGIH 2017

AMMONIA						
Threshold Limit Value						
Type	Country	TWA/8h		STEL/15r	STEL/15min	
		mg/m3	ppm	mg/m3	ppm	
TLV-ACGIH		17	25	24	35	

Legend

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

TLV of solvent mixture: 17 mg/m3

# 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

# **LEATHER GLOSS FINISH - MXC7500**

Revision nr.1 Dated 30/05/2018 Printed on 30/05/2018 Page n. 4 / 9

# SECTION 8. Exposure controls/personal protection .../>>

HAND PROTECTIONProtect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

# RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9. Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance liauid Colour yellowish mild Odour Odour threshold Not available Not available Melting point / freezing point Not available Not available Initial boiling point Boiling range Not available Flash point 60 °C Not available Evaporation rate Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Not available Upper explosive limit Vapour pressure Not available Not available Vapour density Relative density Not available Solubility Not available Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available Viscosity Not available Explosive properties Not available Not available Oxidising properties

# 9.2. Other information

VOC (volatile carbon): 0,19 %

# **SECTION 10. Stability and reactivity**

# 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

# **AMMONIA**

Corrodes: aluminium,iron,zinc,copper,copper alloys.

# 10.2. Chemical stability

# **LEATHER GLOSS FINISH - MXC7500**

Revision nr.1 Dated 30/05/2018 Printed on 30/05/2018 Page n. 5 / 9

# SECTION 10. Stability and reactivity .../>>

The product is stable in normal conditions of use and storage.

# 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### AMMONIA

Risk of explosion on contact with: strong acids,iodine.May react dangerously with: strong bases.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

# 10.5. Incompatible materials

# **AMMONIA**

Incompatible with: silver, silver salts, lead, lead salts, zinc, zinc salts, hydrochloric acid, nitric acid, oleum, halogens, acrolein, nitromethane, acrylic acid.

# 10.6. Hazardous decomposition products

AMMONIA

May develop: nitric oxide.

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

# 11.1. Information on toxicological effects

lonic compounds of lead may cause chronic poisoning, since lead accumulates in the organism following prolonged and repeated exposures causing damage to the blood and central nervous system. Vapours can also cause irritation of the eyes and respiratory tract. The way of absorption are inhalation and ingestion.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

# **ACUTE TOXICITY**

LC50 (Inhalation) of the mixture: > 20 mg/lLD50 (Oral) of the mixture: > 2000 mg/kg

LD50 (Dermal) of the mixture: Not classified (no significant component)

AMMONIA

LD50 (Oral) 350 mg/kg Rat

ALCOHOLS, C11-15, SECONDARY,

 LD50 (Oral)
 2380 mg/kg RATTO

 LD50 (Dermal)
 11000 mg/kg CONIGLIO

# SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

# **LEATHER GLOSS FINISH - MXC7500**

Revision nr.1 Dated 30/05/2018 Printed on 30/05/2018 Page n. 6 / 9

# SECTION 11. Toxicological information .../>>

**SERIOUS EYE DAMAGE / IRRITATION** 

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

**GERM CELL MUTAGENICITY** 

Does not meet the classification criteria for this hazard class

**CARCINOGENICITY** 

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

**STOT - SINGLE EXPOSURE** 

Does not meet the classification criteria for this hazard class

**STOT - REPEATED EXPOSURE** 

Does not meet the classification criteria for this hazard class

**ASPIRATION HAZARD** 

Does not meet the classification criteria for this hazard class

# **SECTION 12. Ecological information**

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

# 12.1. Toxicity

**AMMONIA** 

LC50 - for Fish 47 mg/l/96h Channa punctata EC50 - for Crustacea 20 mg/l/48h Daphnia magna

ALCOHOLS, C11-15, SECONDARY,

LC50 - for Fish > 5,6 mg/l/96h Pesce - Golden

# 12.2. Persistence and degradability

AMMONIA

Degradability: information not available

# 12.3. Bioaccumulative potential

Information not available

# 12.4. Mobility in soil

Information not available

# 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# 12.6. Other adverse effects

#### ΕN

# GIARDINI DI GIARDINI ANGELO & C. SNC LEATHER GLOSS FINISH - MXC7500

Revision nr.1 Dated 30/05/2018 Printed on 30/05/2018 Page n. 7 / 9

Information not available

# **SECTION 13. Disposal considerations**

# 13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

**CONTAMINATED PACKAGING** 

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

# **SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

#### 14.1. UN number

Not applicable

# 14.2. UN proper shipping name

Not applicable

# 14.3. Transport hazard class(es)

Not applicable

# 14.4. Packing group

Not applicable

# 14.5. Environmental hazards

Not applicable

# 14.6. Special precautions for user

Not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

# **SECTION 15. Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

3

# Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisarion (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

#### ΕN

# **GIARDINI DI GIARDINI ANGELO & C. SNC**

# **LEATHER GLOSS FINISH - MXC7500**

Revision nr.1 Dated 30/05/2018 Printed on 30/05/2018 Page n. 8 / 9

# SECTION 15. Regulatory information .../>>

None

# Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

# 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4
Skin Corr. 1B
Skin corrosion, category 1B
Eye Dam. 1
Eye Irrit. 2
Skin Irrit. 2
Skin Irrit. 2
Acute toxicity, category 4
Skin corrosion, category 1B
Serious eye damage, category 1
Eye irritation, category 2
Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic toxicity, category 3

H302 Harmful if swallowed. H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H315 Causes skin irritation.

H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.

**H412** Harmful to aquatic life with long lasting effects.

# LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

# GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament

# **LEATHER GLOSS FINISH - MXC7500**

Revision nr.1 Dated 30/05/2018 Printed on 30/05/2018 Page n. 9 / 9

- 4. Regulation (EU) 2015/830 of the European Parliament5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

#### Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.